#### AI4REASON:

### Artificial Intelligence for Large-Scale Computer-Assisted Reasoning

#### Josef Urban

Czech Technical University in Prague
Czech Institute for Informatics, Robotics and Cybernetics
ERC Consolidator grant project No. 649043
09/2015 – 08/2020





I suspect that the following problem A in computational geometry is in P ..., what do you think?











Indeed, it is similar to a less known problem B number 13501 in my knowledge base. We can use a similar polynomial reduction to planar graphs as in B, and for the resulting constraint-solving problem we use a modified version Y of the  $O(n^9)$  algorithm X published last year in Proc. of Indian Conf. on Graph Theory.





Here is my verified formal proof with 100k basic inference steps. Here are two high-level versions of the proof, one for experts and one for textbooks.





Btw., A, B and X, Y generalize to a far-reaching conjecture that could solve a long-standing open problem.

Let's write an ERC proposal about exploring them!

#### How Distant?

- 15 50 years, depending on our efforts
- Today's numbers about 100x smaller:
  - 10k-30k computer-understandable definitions
  - 200k-300k (small) theorems and proofs
  - 1B-10B primitive lemmas
- Covers roughly the Bc level in Math/CS, PhD level still far
- The main bottleneck:

# WEAK AUTOMATION OF REASONING OVER LARGE COMPUTER-UNDERSTANDABLE CORPORA

This is where a breakthrough is necessary

#### AI4REASON Goals

- Breakthrough in a hard problem in AI and reasoning: automatically proving theorems in complex theories
- Produce AI systems that combine learning and reasoning
- Thus help with automating verification of:
  - advanced mathematics and big proofs (Kepler conjecture)
  - software and hardware designs (seL4 OS microkernel)
  - advanced systems and designs (finance, industry, science)

### Example: The Kepler conjecture

 J. Kepler (1611, Prague): The most compact way of stacking balls of the same size in space is a pyramid.

$$V=rac{\pi}{\sqrt{18}}pprox 74\%$$

- Big proof: 300 pages + computations (Hales, Fergusson, 1998)
- Formal proof finished in 2014, 20000 theorems & proofs
- All of it computer-understandable and verified in HOL Light:
- polyhedron s /\ c face\_of s ==> polyhedron c
- However, this took 20 30 person-years!
- Our Al methods can fully automate 40% of the proofs (2014)
- Similar verification efforts for bug-free compilers, OS, etc.

## Sample of Formal Math: Irrationality of $\sqrt{2}$

```
theorem sort2 not rational:
  "sgrt (real 2) ₹ Q"
proof
  assume "sgrt (real 2) \in \mathbb{O}"
  then obtain m n :: nat where
    n_nonzero: "n \neq 0" and sqrt_rat: "sqrt (real 2) = real m / real n"
    and lowest terms: "qcd m n = 1" ...
  from n_nonzero and sqrt_rat have "real m = |sqrt (real 2)| * real n" by simp
  then have "real (m^2) = (sgrt (real 2))^2 * real (n^2)"
    by (auto simp add: power2 eg square)
  also have "(sgrt (real 2))^2 = real 2" by simp
  also have "... * real (m^2) = real (2 * n^2)" by simp
  finally have eq: m^2 = 2 * n^2
  hence "2 dvd m2" ...
  with two_is_prime have dvd_m: "2 dvd m" by (rule prime_dvd_power_two)
  then obtain k where m = 2 k
  with eq have "2 * n^2 = 2^2 * k^2" by (auto simp add: power2 eq square mult ac)
  hence "n^2 = 2 * k^2" by simp
  hence "2 dvd n2" ...
  with two is prime have "2 dvd n" by (rule prime dvd power two)
  with dvd m have "2 dvd gcd m n" by (rule gcd greatest)
  with lowest terms have "2 dvd 1" by simp
  thus False bv arith
ged
let SQRT 2 IRRATIONAL = prove
 ('~rational(sgrt(&2))'.
 SIMP TAC(rational; real abs: SORT POS LE: REAL POS) THEN
 REWRITE TAC[NOT EXISTS THM] THEN REPEAT GEN TAC THEN
 DISCH THEN (CONJUNCTS THEN2 ASSUME TAC MP TAC) THEN
 SUBGOAL THEN ``((&p / &g) pow 2 = sart(&2) pow 2)`
   (fun th -> MESON TAC[th]) THEN
 SIMP TAC[SORT POW 2; REAL POS; REAL POW DIV] THEN
 ASM SIMP TAC(REAL EO LDIV EO; REAL OF NUM LT; REAL POW LT;
              ARITH RULE '0 < q \ll  (q = 0)'] THEN
 ASM MESON TAC[NSORT 2; REAL OF NUM POW;
               REAL OF NUM MUL; REAL OF NUM EO1);;
```

### The AI4REASON Plan of Attack

- WP1 Al for finding relevant knowledge in large formal corpora:
  - How to capture similarity and analogy of ideas?
  - How to learn from proofs, counter-examples and theories?
- WP2 Al-based guiding methods for reasoning tools:
  - How to efficiently apply the learned guidance?
  - How to automatically learn the best reasoning strategies?
- WP3 Al for suggesting plausible conjectures and concepts:
  - What makes a good conjecture for a given problem?
  - What concepts are good for a given problem?
- WP4 Self-improving AI interleaving learning and deduction:
  - How to explore easier problems to learn for harder ones?
  - How to develop theories and gain most useful knowledge?
- WP5 Deployment and Cross-Corpora Reuse:
  - Deploy the methods as strong online services
  - Translate informal math to formal

### Combining Learning and Theorem Proving

- high-level: select relevant lemmas from a large library
- high-level: select good high-level strategies for a problem
- low-level: guide all inference steps of theorem provers
- mid-level: guide application of tactics to goals
- mid-level: invent suitable strategies for problem classes
- mid-level: invent suitable conjectures for a problem
- mid-level: invent suitable concepts/models for problems
- proof sketches: explore related theories to get proof ideas
- theory exploration: develop new theories by conjecturing
- feedback loops: (dis)prove, learn from it, (dis)prove more
- ..

### Some Highlights So Far

- Won two divisions of the 2018 proving competition (CASC)
- 2017/18: Improved the best open prover by ML guidance
- 2018: 40% improvement of the leanCoP prover by reinforcement learning
- 2017-18: TacticToe first ML-guided tactical system
- 2015-18: Blind Strategymaker invent proving strategies
- First deep-learning based provers (with Google Research)
- 2015-18: Inf2formal Translating informal math to formal, using grammar-based/semantic and neural systems
- Invited talks Fields Inst., TYPES'18, Hales'60, AGI'18
- 2016 Google Research Award for JU
- AITP conference series started: aitp-conference.org
- AI/TP group at Google Research (2016), OpenAI 2018?

#### Team and Collaborations

- Chad Brown, Jan Jakubův, Martin Suda, Thibault Gauthier, Bartosz Piotrowski, Zarathustra Goertzel, Shawn Wang
- External scientific advisors
  - Prof. Stephan Schulz (Autom. reasoning, DHBW Stuttgart)
  - Prof. Robert Veroff (Autom. reasoning, U. of New Mexico)
  - Prof. Tom Heskes (Al, Radboud U. Nijmegen)
- Further Collaborations
  - Dr. Cezary Kaliszyk, U. of Innsbruck (ERC in 2016)
  - Dr. Jasmin Blanchette, VU Amsterdam (ERC in 2016)
  - Prof. Larry Paulson, U. of Cambridge (ERC in 2017)
  - · Prof. Geoff Sutcliffe, U. of Miami
  - · Dr. Christian Szegedy, Google Research
  - Prof. Herman Geuvers, Radboud U. Nijmegen
- over 20 research visits so far
- large related national grant awarded to JU in 2017

#### Future Potential - Science

- Use strong Al/reasoning and formal verification for:
- Science
  - Routinely verify complex math, software, hardware?
  - Make all of math/science computer-understandable?
  - Strong Al assistants for math/science?
- Examples
  - Automatically understand/verify/explain all arXiv papers?
  - Can we train a superhuman system like AlphaGo/Zero for math/physics? What will it take?
  - Can we prove that the Amazon Cloud cannot be hacked?
  - The same for critical government/private IT systems?

### Future Potential - Society

- Use strong Al/reasoning and formal verification for:
- Society
  - Leibniz's dream: Let us Calculate! (solve any dispute)
  - J. McCarthy: Mathem. Objectivity and the Power of Initiative
  - Al/reasoning assistants for law/regulations
  - Verification of financial, transport/traffic systems, ...
  - Explainable and very securely verified systems
- Examples
  - Prove that two Paris metro trains will never crash?
  - Prove that a trading system doesn't violate regulations?
  - Prove that a new law is inconsistent with an old one?
  - Automatically debunk fallacies in political campaigns?

### Possible Pitfalls and Avoiding Them

### Keep informed, don't fall for the hype

- Al is much more than just (deep) learning/neural nets
- E.g., SAT/SMT/model-checking may be one of the biggest recent AI successes – Amazon, Facebook, Microsoft, etc.
- Don't expect miracles/singularity due to the current hype
- We can train image recognition & language models, but ...
- ... don't know what it takes to solve hard science problems
- However, some breakthroughs can happen quickly
- Researchers/society/lawmakers need to talk more/faster
- Al infrastructure for EU (CLAIRE) could serve this purpose

### Possible Pitfalls and Avoiding Them

#### Don't let US, China, ...

- ... take away the best EU science minds
- In reasoning and formal methods EU is the leader!
- Make a deal with big AI companies to seriously support open university-based research
- Example: PRAIRIE institute in Paris,
- ... CLAIRE centers modelled after that?
- Infrastructure like CLAIRE very needed in countries like CR
- Larger brain-drain and local incompetence aggravating it
- Use such infrastructure to impose EU values on AI

### Links and Impacts on Other AI Areas

- Main areas: Machine Learning, Automated Reasoning
- Needs advances in Representation Learning
- Al needs intuition, but also reasoning and explanations
- Impact on Formal Verification (SW, HW, etc.)
- Potentially on any (hard) science/thinking/arguing
- Alan Turing, 1950, Al:

"We may hope that machines will eventually compete with men in all purely intellectual fields."

### Outlook - Bets from 2014

- In 20 years, 80% of Flyspeck and Mizar toplevel theorems will be provable automatically (about 40% in 2014)
- The same in 30 years I'll give you 2:1, In 10 years: 60% (getting there)
- In 25 years, 50% of the toplevel statements in LaTeX-written Msc-level math curriculum textbooks will be parsed automatically and with correct formal semantics

### Outlook – Scientific Revolution

- (from a talk about Kepler and Hales)
- What did Kepler, Galileo & Co start to do in 1600s?
- What are we trying to do today?
- Kepler's Conjecture in Strena in 1611 (with many others)
- · Kepler's laws, Newton, ..., age of science, math, machines
- ..., Hilbert, ..., Turing, ... age of computing machines?
- 1998 machine helps to find a proof of Kepler's Conjecture
- 2014 machine verifies a proof of Kepler's Conjecture
- ... 2050? machine finds a proof of Kepler's Conjecture?
- (no betting ;-)

#### Thanks and Advertisement

- Thanks for your attention!
- AITP Artificial Intelligence and Theorem Proving
- April 7–12, 2019, Obergurgl, Austria, aitp-conference.org
- ATP/ITP/Math vs Al/Machine-Learning people, Computational linguists
- Discussion-oriented and experimental
- Grown to 60 people in 2018